

LED NOTIFICATION APPLIANCES



400 SERIES



MGC's Notification Appliances offer an audible/visual solution that delivers exceptional energy efficiency in a compact design. MGC offers multiple field - selectable audible/visual settings, as well as a wide range of mounting options in an easy to install compact unit.

Utilizing advanced LED technology, the MGC Notification Appliances provide a much lower current draw than xenon bulb technology. This in turn allows for more devices on a NAC circuit while reducing the number of external power supplies required.

Designed for indoor/outdoor wall or ceiling mount applications, MGC's Notification Appliances comply agency requirements including the NFPA 72, UL 1971, UL 1638, UL 464, ULC S525 and ULC S526.



Wall/Ceiling Mount
Horns

Wall Mount
Strobes

Wall Mount
Horn/Strobes

Low Frequency
Wall/Ceiling Mount
Sounder

Low Frequency
Wall Mount
Sounder Strobe

Ceiling Mount
Strobes

Ceiling Mount
Horns/Strobes

Weather Protected
Wall/Ceiling Mount
Horn

Weather Protected
Wall Mount
Strobe

Weather Protected
Wall Mount
Horn/Strobe

FEATURES

- Standard and high candela settings in one unit (Horn Strobe) to meet virtually any application
 - Wall Mount models: 15, 15/75, 30, 75, 110, 185 cd
 - Ceiling Mount models: 15, 15/75, 30, 75, 110 cd
 - Reduction in SKUs to stock
- Multiple field-selectable audible settings
 - Temporal, Continuous, March Time and 20 BPM audible tones
 - High and low volume settings
- Weather Protected Devices
 - Temperature ranges from -40°C to 66°C (-40°F to 151°F)
- Low Frequency 520 Hz operation range

ENERGY EFFICIENT

- Advanced LED technology provides superior current draw performance
 - Allows for a higher capacity of notification devices per circuit
 - Eases external power supply requirements

EASY TO INSTALL

- Indoor & Standard frequency models include a mounting plate that allows for devices to be pre-wired.
- Wide range of mounting options
 - Mount to Mircom BB-400 surface mount back box, single gang, 4-inch square, double gang, octagon and 4-inch junction boxes

Wall/Ceiling Mount Horns	
FH-400-RR	Red
FH-400-WW	White
FH-400-RR-WP	Weather Protected, Red
FH-400-RR-LF	Low Frequency, Red
FH-400-WW-LF	Low Frequency, White
Wall Mount Strobes	
FS-400-RR	Red
FS-400-WW	White
FS-400-RR-WP	Weather Protected, Red
Wall Mount Horn/Strobes	
FHS-400-RR	Red
FHS-400-WW	White
FHS-400-RR-WP	Weather Protected, Red
FHS-400-RR-LF	Low Frequency, Red
FHS-400-WW-LF	Low Frequency, White
Ceiling Mount Strobes	
FS-400C-RR	Red
FS-400C-WW	White
Ceiling Mount Horns/Strobes	
FHS-400C-RR	Red
FHS-400C-WW	White
Accessories	
MIX-4050	MGC SYNC module
MRI-4050	Secutron SYNC module

SPP/SPPS SERIES



MGC's Speakers and Speaker Strobes extend the notification appliance offering to provide a complete family lineup which utilizes advanced LED technology.

Designed for indoor/outdoor wall or ceiling mount applications, MGC's Speakers and Speaker Strobes are offered in 25/70 V, high candela and red/white options for flexibility.

MGC also offers a trim plate/adaptor kit for retrofit applications where ceiling back box space is limited.

MGC's Speaker and Speaker/Strobes comply with agency requirements including the NFPA 72, UL 1971, UL1638, UL1480, ULC S526 and ULC S541.



Ceiling Mount Speakers



Ceiling Mount Speakers/Strobes



Wall Mount Speakers



Wall Mount Speaker/Strobes



Ceiling Mount Accessories



Weather Protected Wall/Ceiling Mount Speaker



Weather Protected Wall Mount Speaker/Strobe

FEATURES

- All models with 25V/70V options
- All models with RED or WHITE options
- Speaker Power Setting: ¼, ½, 1, 2 W
- Built-in Synchronization Candela Settings for Speaker/Strobes
- Wall Mount models: 15, 30, 75, 110, 185, 15/75 cd
- Ceiling Mount models: 15, 30, 75, 110, 125, 15/75 cd
- Ceiling Mount High Candela models: 50, 75, 90, 130, 185, 15/75 cd
- Weather Protected Devices Temperature ranges from -40°C to 66°C (-40°F to 151°F)

ENERGY EFFICIENT

- Advanced LED technology provides ultra low current draw performance
 - Allows for a higher capacity of notification devices per circuit
 - Eases external power supply requirements

EASY TO INSTALL

- Wall models can be mounted directly onto a 4" square back box.
- Ceiling model can be mounted on a 6" round flush back box (IB-104)
- Optional spacer (SPKC-W) for mounting on a 4" square electrical box

Ceiling Mount Speakers	
SPP-104-25	White
SPP-104-70	White
SPP-104-25R	Red
SPP-104-70R	Red
Ceiling Mount Speakers/Strobes	
SPPS-104-25	White
SPPS-104-70	White
SPPS-104-25R	Red
SPPS-104-70R	Red
SPPS-104-25H	High candela, White
SPPS-104-70H	High candela, White
SPPS-104-25HR	High candela, Red
SPPS-104-70HR	High candela, Red
Wall Mount Speakers	
SPP-204-25	White
SPP-204-70	White
SPP-204-25R	Red
SPP-204-70R	Red
Wall Mount Speaker/Strobes	
SPPS-204-25	White
SPPS-204-70	White
SPPS-204-25R	Red
SPPS-204-70R	Red
SPPS-204-25R-WP	Weather Protected, Red
SPPS-204-70R-WP	Weather Protected, Red
Weather Protected Wall/Ceiling Mount Speakers	
SPP-204-25R-WP	Red
SPP-204-70R-WP	Red
Accessories	
IB-104	6" Back Box
SPKC-W	Spacer/Trim ring
MIX-4050	MGC SYNC module
MRI-4050	Secutron SYNC module



About Mircom®

Founded in 1991, Mircom is a global designer, manufacturer and distributor of Intelligent Building Solutions. Reaching customers in over 100 countries worldwide, Mircom's portfolio includes: fire detection & alarm, communications & security, mass notification, nurse call, and building automation & smart technologies. Mircom's vision is to make buildings worldwide safer, smarter, and more livable.

Our global network of dedicated Sales and Service Offices, known as Mircom Engineered Systems, allows us to be a full solution provider. Through Mircom ES, we're able to provide and fully service our line-up of innovative and advanced solutions which are scalable to satisfy diverse user demands, from small & mid-size buildings to the world's most complex applications.

CORPORATE/CANADA

Tel: 888.660.4655

Fax: 888.660.4113

USA

Tel: 888.660.4655

Fax: 888.660.4113

INTERNATIONAL

Tel: 905.660.4655

Fax: 905.660.4113

mircom.com



For more information visit
Mircom.com

This document is provided by Mircom Technologies Ltd., MGC Systems Corp., or their affiliates, subsidiaries and brands, for convenience or marketing only and does not describe products or services technically. For technical information refer to technical manuals. We do not make representations or warranties regarding this information, including as to completeness or accuracy. We may change these contents at any time and reserve all rights in the contents, including copyrights, trademarks and other intellectual property.



BR_190035_EN
Rev 8 08/24