

LED NOTIFICATION APPLIANCES





LED HORNS & HORN STROBES



Mircom's Notification Appliances offer an audible/visual solution that delivers exceptional energy efficiency in a compact design. Mircom offers multiple field – selectable audible/visual settings, as well as a wide range of mounting options in an easy to install compact unit.

Utilizing advanced LED technology, the Mircom Notification Appliances provide a much lower current draw than xenon bulb technology. This in turn allows for more devices on a NAC circuit while reducing the number of external power supplies required.

Designed for indoor wall or ceiling mount applications, Mircom's Notification Appliances comply with all agency requirements including the new 2016 edition of NFPA 72.

FEATURES & BENEFITS:

Energy Efficient

- Advanced LED technology provides superior current draw performance
 - o Allows for a higher capacity of notification devices per circuit
 - o Eases external power supply requirements

Flexible

- Standard and high candela settings in one unit (Horn Strobe) to meet virtually any application
 - o Wall Mount models: 15, 15/75, 30, 75, 110, 185 cd
 - o Ceiling Mount models: 15, 15/75, 30, 75, 110 cd
 - o Reduction in SKUs to stock
 - o Standard or high candela options for Speaker Strobes
- Multiple field-selectable audible settings
 - o Temporal, Continuous, March Time and 20 BPM audible tones
 - o High and low volume settings
 - o 25/70 V speaker input options

Safe

- Device settings are located on the back of the unit to prevent tampering
- Compliance
 - o UL 1971, UL 1638, UL 464, and UL 1480
 - o ULC-S525, ULC-S526, and ULC S 541
 - o NFPA 72 2016 Edition (Meets 20 millisecond pulse width requirement)

Easy to Install

- All models include a mounting plate that allows for the devices to be pre-wired (Horn Strobes)
- Wide range of mounting options
 - o Mount to Mircom BB-400 surface mount back box, single gang, 4-inch square, double gang, octagon and 4-inch junction boxes
 - o Retrofit kit for Speaker Strobes for limited ceiling back box space

MODELS



Wall/Ceiling Mount Horns
FH-400-WW (White)
FH-400-RR (Red)



Wall Mount Strobes
FS-400-WW (White)
FS-400-RR (Red)



Wall Mount Horn Strobes
FHS-400-WW (White)
FHS-400-RR (Red)



Ceiling Mount Strobes
FS-400C-WW (White)
FS-400C-RR (Red)



Ceiling Mount Horns Strobes
FHS-400C-WW (White)
FHS-400C-RR (Red)

LED SPEAKERS & SPEAKER STROBES



Mircom's Speakers and Speaker Strobes extend the notification appliance offering to provide a complete family lineup which utilizes advanced LED technology.

Designed for indoor wall or ceiling mount applications, Mircom's Speakers and Speaker Strobes are offered in 25/70 V, high candela and red/white options for flexibility.

Mircom also offers a trim plate/adaptor kit for retrofit applications where ceiling back box space is limited.

Mircom's Notification Appliances comply with all agency requirements including the new 2016 edition of NFPA 72.

FEATURES & BENEFITS:

Energy Efficient

- All models with 25V/70V options
- All models with RED or WHITE options
- Speaker Power Setting: ¼, ½, 1, 2 W
- Built-in Synchronization Candela Settings for Speaker Strobes
- Wall Mount models: 15, 30, 75, 110, 185, 15/75 cd
- Ceiling Mount models: 15, 30, 75, 110, 125, 15/75 cd
- Ceiling Mount High Candela models: 50, 75, 90, 130, 185, 15/75 cd
- Advanced LED technology provides best in class current draw performance
 - o Allows for a higher capacity of notification devices per circuit
 - o Eases external power supply requirements

Flexible

- Multiple language plastic inserts included with speaker strobes (English/ French/ Spanish)

Safe

- Device settings are located on the back of the unit to prevent tampering
- Compliance
 - o UL 1480 and UL 1638
 - o ULC-S541 and ULC-S526
 - o NFPA 72 2016 Edition (Meets 20 millisecond pulse width requirement)

Easy to Install

- All models include a mounting plate that allows for the devices to be pre-wired
- Wall models can be mounted directly on a 4" square back box.
- Ceiling model can be mounted on a 6" round flush back box (IB-104)
- Optional spacer (SPKC-W) for retrofit applications or for mounting in a standard 4" square back box

MODELS



Wall Mount Speakers

- SPP-204-25 (White)
- SPP-204-70 (White)
- SPP-204-25R (Red)
- SPP-204-70R (Red)



Wall Mount Speaker Strobes

- SPPS-204-25 (White)
- SPPS-204-70 (White)
- SPPS-204-25R (Red)
- SPPS-204-70R (Red)




Ceiling Mount Speakers

- SPP-104-25 (White)
- SPP-104-70 (White)
- SPP-104-25R (Red)
- SPP-104-70R (Red)



Ceiling Mount Speakers Strobes

- SPPS-104-25 (White)
- SPPS-104-70 (White)
- SPPS-104-25R (Red)
- SPPS-104-70R (Red)
- SPPS-104-25H (High candela White)
- SPPS-104-70H (High candela White)
- SPPS-104-25HR (High candela Red)
- SPPS-104-70HR (High candela Red)



Ceiling Mount Accessories

- IB-104 (6" Back Box)
- SPKC-W (Spacer/trim ring)



About the Mircom®

Founded in 1991, Mircom is a global designer, manufacturer and distributor of Intelligent Building Solutions. Reaching customers in over 100 countries worldwide, Mircom’s portfolio includes: fire detection & alarm, communications & security, mass notification, nurse call, and building automation & smart technologies. Mircom’s vision is to make buildings worldwide safer, smarter, and more livable.

Our global network of dedicated Sales and Service Offices, known as Mircom Engineered Systems, allows us to be a full solution provider. Through Mircom ES, we’re able to provide and fully service our line-up of innovative and advanced solutions which are scalable to satisfy diverse user demands, from small & mid-size buildings to the world’s most complex applications.

CORPORATE/CANADA

Tel: 888.660.4655
Fax: 888.660.4113

USA

Tel: 888.660.4655
Fax: 888.660.4113

INTERNATIONAL

Tel: 905.660.4655
Fax: 905.660.4113

mircom.com

THIS INFORMATION IS FOR MARKETING PURPOSES ONLY AND NOT INTENDED TO DESCRIBE THE PRODUCTS TECHNICALLY. For complete and accurate technical information relating to performance, installation, testing and certification, refer to technical literature.

The contents of this document may be changed by Mircom Technologies Ltd. without notice. Mircom makes no representations or warranties about the completeness or accuracy of these contents and expressly disclaims liability howsoever arising therefrom. These contents, including all referenced trade names, logos, graphics, marks and copy right information, registered or unregistered, are the exclusive property of Mircom and shall not, without its prior consent, be used, reproduced, stored or transmitted by any means. Purchase of Mircom products is subject to standard warranties, software license agreement and terms and conditions, available on request.

