







## Dimensions

### Ceiling Speaker



### Ceiling Speaker Strobe



## Ordering Information

Model	Description
SPP-104-25	Ceiling mounted speaker 25V White
SPP-104-70	Ceiling mounted speaker 70V White
SPP-104-25R	Ceiling mounted speaker 25V Red
SPP-104-70R	Ceiling mounted speaker 70V Red
SPPS-104-25	Ceiling mounted speaker strobe 25V White
SPPS-104-70	Ceiling mounted speaker strobe 70V White
SPPS-104-25R	Ceiling mounted speaker strobe 25V Red
SPPS-104-70R	Ceiling mounted speaker strobe 70V Red
SPPS-104-25H	Ceiling mounted speaker strobe 25V with High Candela White
SPPS-104-70H	Ceiling mounted speaker strobe 70V with High candela White
SPPS-104-25HR	Ceiling mounted speaker strobe 25V with High Candela Red
SPPS-104-70HR	Ceiling mounted speaker strobe 70V with High Candela Red
SPKC-W	Optional Spacer for Retrofit or for mounting in a standard 4" square box
IB-104	6 Inch round flush backbox



#### Canada

25 Interchange Way  
Vaughan, Ontario L4K 5W3  
Telephone: (905) 660-4655  
Fax: (905) 660-4113

www.mircom.com

#### U.S.A.

4575 Witmer Industrial Estates  
Niagara Falls, NY 14305  
Toll Free: (888) 660-4655  
Fax Toll Free: (888) 660-4113



**THIS INFORMATION IS FOR MARKETING PURPOSES ONLY AND NOT INTENDED TO DESCRIBE THE PRODUCTS TECHNICALLY.**

For complete and accurate technical information relating to performance, installation, testing and certification, refer to technical literature. This document contains intellectual property of Mircom. The information is subject to change by Mircom without notice. Mircom does not represent or warrant correctness or completeness.

CAT.5740X

Rev.&