



400 SERIES LED HORNS, STROBES & HORN/STROBES

Compact energy efficient audible/visual solution

Mircom's 400 Series LED Notification Appliances offer an audible/visual solution that delivers exceptional energy efficiency in a compact design. Utilizing advanced LED technology, the Mircom 400 Series LED Notification Appliances provide a lower current draw which allows for more devices on a NAC circuit while reducing the number of external power supplies required. The Mircom 400 Series offer multiple field-selectable audible/visual settings as well as a wide range of mounting options in an easy to install compact unit. Designed for indoor wall or ceiling-mount applications, the Mircom 400 Series comply with all agency requirements including the 2016 edition of NFPA 72.

- Energy Efficient
- Flexible
- Safe
- Easy to install





Wall/Ceiling Mount
Horns



Wall Mount
Strobes



Wall Mount
Horn Strobes



Ceiling Mount
Strobes



Ceiling Mount
Horn Strobes



Surface Mount
Back Boxes

Wall/Ceiling Mount Horns	
FH-400-RR	Red
FH-400-WW	White
Wall Mount Strobes	
FS-400-RR	Red
FS-400-WW	White
Wall Mount Horn Strobes	
FHS-400-RR	Red
FHS-400-WW	White
Ceiling Mount Strobes	
FS-400C-RR	Red
FS-400C-WW	White
Ceiling Mount Horn Strobes	
FHS-400C-RR	Red
FHS-400C-WW	White
Surface Mount Back Boxes	
BB-400R	Red
BB-400W	White

ENERGY EFFICIENT

- Advanced LED technology provides superior current draw performance
 - Allows for a higher capacity of notification devices per circuit
 - Eases external power supply requirements

FLEXIBLE

- Standard and high candela settings in one unit (Horn Strobe) to meet virtually any application
 - Wall Mount models: 15, 15/75, 30, 75, 110, 185 cd
 - Ceiling Mount models: 15, 15/75, 30, 75, 110 cd
 - Reduction in SKUs to stock
- Multiple field-selectable audible settings
 - Temporal, Continuous, March Time and 20 BPM audible tones
 - High and low volume settings

SAFE

- Device settings are located on the back of the unit to prevent tampering
- Compliance
 - UL 1971, UL 1638, UL 464
 - ULC-S525, ULC-S526
 - NFPA 72 2016 Edition (Meets 20 millisecond pulse width requirement)

EASY TO INSTALL

- All models include a mounting plate that allows for the devices to be pre-wired (Horn Strobes)
- Includes shorting clip that allows installers to test the wiring before the device is installed
- Wide range of mounting options
 - Mount to Mircom BB-400 surface mount back box, single gang, 4-inch square, double gang, octagon and 4-inch junction boxes



For more information
call **1.888.660.4655**
or visit **Mircom.com**

THIS INFORMATION IS FOR MARKETING PURPOSES ONLY AND NOT INTENDED TO DESCRIBE THE PRODUCTS TECHNICALLY. For complete and accurate technical information relating to performance, installation, testing and certification, refer to technical literature.

The contents of this document may be changed by Mircom Technologies Ltd. without notice. Mircom makes no representations or warranties about the completeness or accuracy of these contents and expressly disclaims liability howsoever arising therefrom. These contents, including all referenced trade names, logos, graphics, marks and copy right information, registered or unregistered, are the exclusive property of Mircom and shall not, without its prior consent, be used, reproduced, stored or transmitted by any means. All logos and images are owned by their respected parties and are used for reference only. Purchase of Mircom products is subject to standard warranties, software license agreement and terms and conditions, available on request.

© 2022 All rights reserved. Exclusive property of Mircom Technologies Ltd.



MIR-NAC-SS_160060
Rev. 4 03/23