

ACCESS ENTRY & VOICE CONTROL

[TX3
Series]

 **Mircom®**

OUR HISTORY

Founded in 1991, Mircom is North America's largest independent designer, manufacturer and distributor of life safety equipment. Our focus is on the needs of our customers and their requirements in the marketplace across all verticals.

VISION & MISSION

Mircom's Vision is to make buildings worldwide safer, smarter, and more livable.

Our Mission is to protect lives and property by:

- Having a customer centric focus
- Leveraging a program of continuous improvement
- Delivering cost effective life safety system solutions.

MADE IN NORTH AMERICA, TO NORTH AMERICAN STANDARDS

Our head office and manufacturing are located in North America, our most important market. This allows us to maintain complete command of the product development process, from concept to finished deliverables, in accordance with the ISO 9002:2015 standard. Our in-house agency approved test facility allows us to ensure top quality while optimizing speed to market. Mircom's numerous accreditations & awards highlight strong people & processes while our warranty reinforces our confidence in the result.

SUBJECT MATTER EXPERTS

For over 30 years, Mircom's founders and employees have helped to drive & shape the industries of Communication, Life Safety & Security. Not only have our team members participated in industry standard committees, but some have owned their own business, including installation & service. Whether you need a quick retrofit for an apartment entry system or are developing a fully integrated systems plan for a sophisticated commercial environment, you can benefit from a consultative partner with industry expertise that will understand your objectives and will anticipate your needs throughout the process. Our world class Engineering team is constantly balancing innovation, quality and efficiency.

TRAINING & SUPPORT

We offer both online and in-class training to help make sure that your first and every Mircom project meets or exceeds the needs of your customers. Our Customer Support, Technical Support, and Applications teams are with you every step of the way.

NON-PROPRIETARY SOLUTIONS

We use non-proprietary technology to ensure that you have total flexibility for ongoing service, upgrade & expansions.

CAPABLE & FLEXIBLE PROBLEM SOLVING

While we offer a set of standard products, our experience and expertise allow us to take on the most complex projects even where custom solutions are required. Mircom prides itself on our commitment to supporting high profile projects and customers. On many occasions, we have quickly developed custom solutions to specific customer problems. Our team often goes above and beyond to make things work smoothly for our customers.

*Mircom truly does **WHATEVER IT TAKES!***

INTEGRATION & SCALE

- Communication & Voice Entry
- Security & Access Control
- Mobile Applications
- Emergency Communication
- Virtually endless network configuration & size
- Integration with other systems in the building (fire detection, video, elevators)

RETURN ON INVESTMENT

- Features & services to help our partners and their customers gain recurring revenue to pay back the investment
- Advertising module (on touchscreens)
- SIP Communication (to replace PSTN/POTS copper lines)
- MiEntry Licensing
- NSL (No Subscriber Line) option
- Bluetooth / Mobile Access Credentials

CONFIGURATION/MONITORING SOFTWARE

- Included with our hardware
- One software package will configure local or remote connection
- Browser based CCTV integration (*coming soon* TX3 Vision Cloud)

FLEXIBILITY

- Engineered systems when needed for large projects



WHY TX3

**[TX3
Series]**

TX3-T10

TOUCH SCREEN VIDEO INTERCOM SYSTEM

NEW



Deliver safe & seamless property access with the 10" video intercom

TX3-T10 is crafted to create a head-turning first impression at your property. Built to meet the needs of residents, property managers, developers, and installers while delivering exceptional durability and performance, anywhere.

Installers & Developers:

- Reduce installation costs by eliminating complex building wiring & in-unit hardware.
- Requires just two wires: PoE and door strike.
- Minimal maintenance with robust hardware and software. Stay current with regularly pushed-out updates, new features, and system enhancements.
- Integrate seamlessly with existing access control system.

Property Managers:

- Manage tenant access permissions from a convenient TX3 Configuration Dashboard.
- Review time & date stamped records of all doors, entries, gates.
- Manage elevator access to individual floors.
- Take advantage of Mircom's industry leading warranty, offering up to 3 years of coverage right out of the box.

Residents:

- Effortlessly enter your building with an access card or entry code.
- Receive video calls via the MiEntry app and remotely unlock doors and gates.
- Generate QR codes for temporary access for visitors and delivery personnel.

Visitors:

- Conveniently call residents or reception.
- Scroll through the name directory or search for specific names.
- Use QR codes for quick dialing and temporary access.

Features:

- 10" Full-color touch display offers an impressive, vibrant visual experience.
- Enables communication through traditional phone lines (PSTN) or the Mircom MiVoIP cloud service (TX3-ATA) for seamless VoIP connectivity.
- Built-in controller manages access for two doors and supports additional readers.
- Built-in proximity card reader and interface for an external card reader.
- QR code scanner enables temporary visitor access.
- Supports up to 2,000 directory entries.
- Designed with a durable, vandal-resistant, and weatherproof enclosure for reliable use in both indoor and outdoor environments.
- Customizable display through various media formats to showcase or advertise.
- Multiple power options, PoE+ or external power supply (24-48 VDC).
- Two colors to choose from: silver or space gray.
- Suitable for both surface and flush mounting.

Accessories:



[TX3 Series]

TOUCH ENTRY

15" VANDAL & WEATHER RESISTANT TOUCH VOICE ENTRY SYSTEM

Simple. Connected. Scalable.

Vandal resistant enclosure to endure high external impact.


- 15" color anti-glare, industrial grade, 0.25" (6.4mm) thick glass touch screen display
- 1600 nits high brightness display
- Touch screen works under any weather condition – rain, snow and even when the user is wearing gloves
- Two locks for added security
- Bottom firing speaker is perfect for outdoor application
- Built-in TCP/IP capability for remote programming
- Built-in HD camera and built-in proximity card reader for easy integration to access control panels
- Provision to add optional HD IP camera and postal lock (using external housing)
- Native integration with Access Control and Elevator Restriction units
- Voice or video-based help menu for ease of use
- Recurring revenue opportunities using the optional advertising module
- FCC and Industry Canada approved
- Available in silver and black

2000 names

standard features apply



TX3-TOUCH-S15S-WR-A
(Surface Mount)



TX3-TOUCH-S15B-WR-A
(Surface Mount)



TX3-T-PEDESTAL-B-WR
TX3 Pedestal

Supports 15" surface mount
vandal and weather resistant
touch screen model



WEATHER RESISTANT

TOUCH VOICE ENTRY SYSTEMS

TX3-TOUCH-S22-F (Surface Mount)

TX3-TOUCH-F22-F (Flush Mount)

- 22" full color touch display provides ultra-wide viewing angles
- Heavy gauge stainless steel door and is designed for indoor applications
- TCP/IP capability to remotely program and maintain the system
- Integrated HD web camera and proximity card reader with the provision for postal lock
- Multi-language support: English, French, and Chinese (both traditional and simplified)
- Recurring revenue opportunities using the optional advertising module



2000 names

standard features apply



TX3-TOUCH-S15-E (Surface Mount)

TX3-TOUCH-F15-E (Flush Mount)

- 15" full color industrial grade touch screen display
- Heavy gauge stainless steel door and is designed for indoor applications
- TCP/IP capability to remotely program and maintain the system
- Integrated HD web camera and proximity card reader with the provision for postal lock
- Multi-language support: English, French, and Chinese (both traditional and simplified)
- Designed to replace old style technology voice entry panels
- Recurring revenue opportunities using the optional advertising module



2000 names

standard features apply



Standard Features

- Provision for a single door controller module for Access Control integration
- Provision for high definition IP camera
- Supports MiEntry mobile application with Mircom SIP
- Free system diagnostic software for remote monitoring
- Configurable themes, screens and layouts allow customization to any decor
- Runs on a Windows-based operating system to offer the most feature rich system on the market
- SIP and PSTN compatible
- Wheelchair Accessible – Lowered control keys make the keyboard easier to reach, complying with ADA requirements
- Voice or video based help menu for ease of use
- Elevator restriction capability
- Provision to add optional TX3-WIEGAND-OUT module to integrate any Wiegand compatible 3rd party access control system with Mircom's TX3 Voice Entry systems
- Built-in e-mail resident feature
- Recurring revenue opportunities using the optional advertising module
- FCC and Industry Canada approved

TX3-T-KIOSK2 Square Pillar

Supports both 15" and 22" surface mount indoor touch screen models

TX3-T-PEDESTAL-B-WR TX3 Pedestal

Supports 15" surface mount vandal and weather resistant touch screen model

PANEL MODULES / SOFTWARE




TX3-IP

IP Module




TX3-MDM

Modem Module



TX3-WIEGAND-OUT

Wiegand output module, 3rd party access control integration



TX3-GPM

Guard Phone Module



CAM-3

TX3 Camera, color c/w BNC connector



TH-102

Heater Kit, add separate 24 VAC transformer

REINFORCED PANEL ACCESSORIES




TX3-USFTR

Flush trim ring for surface mount panels



TX3-UFTR

Flush trim ring for surface mount panels



TX3-UGA/USGA

Gooseneck (post) mounting adapters for surface mount panels

REINFORCED VOICE ENTRY

HANDS-FREE



TX3-2000-8UR-C Reinforced Surface Mount (Hooded) "Universal"

- Provision for TCP/IP remote programming and maintenance by adding an optional TX3-IP module
- Large 8 line by 20 character scrolling directory
- Rainhood for outdoor applications
- Surface or semi-flush mounting options
- Provision for card reader (sold separately) or postal lock
- Available in 2000 name capacity

TX3-2000-8UR-C -2000 names



TX3-2000-8CR-C Reinforced Standard (Flush) "Continental"

- Provision for TCP/IP remote programming and maintenance by adding an optional TX3-IP module
- Large 8 line by 20 character scrolling directory makes it easy to find a resident
- Flush mount for indoor applications
- Provision for card reader (sold separately) or postal lock
- Available in 2000 name capacity

TX3-2000-8CR-C -2000 names

SLIMLINE



TX3-2000-4UR-C Reinforced Surface Mount (Hooded) "Universal"

- Provision for TCP/IP remote programming and maintenance by adding an optional TX3-IP module
- Large 4 line by 20 character scrolling directory makes it easy to find a resident
- Rainhood for outdoor applications
- Surface or semi-flush mounting options
- Provision for card reader (sold separately) or postal lock
- Available in 2000 name capacity

TX3-2000-4UR-C -2000 names

PAPER DIRECTORY

HANDS-FREE



TX3-120U-C Surface Mount (Hooded) "Universal"

- Lighted sign box for directory or bulletins
- 4 Line backlit LCD electronic directory
- Rainhood for outdoor applications
- Surface or semi-flush mounting options
- Provisions for postal lock & camera
- Available in 200 name capacity

TX3-120U-C -200 names



TX3-120C-C Standard (Flush) "Continental"

- Lighted sign box for directory or bulletins
- 4 Line backlit LCD electronic directory
- Flush mount for indoor applications
- Provisions for postal lock & camera
- Available in 200 name capacity

TX3-120C-C -200 names

VOICE ENTRY

MiCONNECT

YOUR GATEWAY TO SEAMLESS MIRCOM CLOUD SERVICES MANAGEMENT

MiCONNECT is Mircom's dedicated portal, designed to simplify the management of Mircom subscription-based cloud services. Offering a unified, user-friendly interface, MiCONNECT enables administrators to efficiently manage accounts, monitor activities, and streamline customer interactions.

Designed specifically for Mircom dealers, property managers, and commercial building administrators, MiCONNECT operates as a robust software-as-a-service (SaaS) platform; providing access to a comprehensive suite of cloud services tailored to meet diverse operational needs.



Unlock the full potential of Mircom's cloud services with MiCONNECT engineered to empower you every step of the way

MiVoIP

COMMUNICATE EFFECTIVELY

Cost-Effective Voice Communication Solution

MiVoIP service offers a modern communication solution for buildings, eliminating the need for traditional phone lines and significantly reducing costs. Functioning just like a phone line, MiVoIP facilitates seamless audio communication between residents and visitors and enables residents to grant access to the building.

Seamless Integration

- Implement MiVoIP service with a voice access system, a VoIP adapter (ATA) is required. This adapter facilitates seamless voice communication between the voice access system and any cellular, home, or business phone. It is designed for easy installation and setup, with no manual configuration required.

Simple Setup


- The VoIP adapter (ATA) is a plug-and-play device. Simply connect it to an IP network with internet access, and it will automatically establish the necessary connections.

Effortless Management

- The MiConnect portal makes it easy to create and cancel MiVoIP accounts, providing a user-friendly interface for managing your communication needs.

Subscribe to MiVoIP and ensure your building remains connected with the latest in voice communication technology.

- Compatible with both Mircom and non-Mircom voice access systems
- Plug & Play setup
- Requires only a low bandwidth internet service
- Requires a service subscription via **MiCONNECT**
- No long-distance charges (USA & Canada Only)
- Easy installation





KEEP AN EYE ON YOUR SITES

Cloud-Based Configuration & Monitoring Solution

Configure, control, and monitor your site's access control devices remotely from anywhere, at any time, without the need for on-site visits.

Revolutionize Remote Building Management with MiVISION

- Experience complete freedom in property management with MiVISION — a cloud-based solution crafted for building and property managers. Enhance building operations by granting property access or controlling permissions conveniently from a phone, tablet, or laptop, anytime, anywhere.

Stay Flexible with Seamless Tenant Management

- Add or remove tenants in seconds.

Stay Connected

- Configure and monitor your systems across multiple locations remotely from a single browser window.
- Set up system alerts and receive notifications via email.

Stay Secure

- Conveniently review time and date-stamped entry logs for enhanced monitoring and security.
- Limit user access to the system by assigning system access rights.
- Manage holidays and scheduled based access.

Stay Current with Comprehensive Property Analytics

- Gain insights into door entries, tenant usage, and feature adoption to facilitate informed decision-making about property management and personnel.
- Generate reports including chart, event logs, residents, credentials, and panels.

Stay Mobile with Cloud-Based Credential and Data Storage

- Store and back up your credentials, tenant list, and equipment configurations on the cloud.
- Save valuable time during on-site equipment changes with easy access to stored data.

Subscribe to Fit Your Needs

- Choose from flexible monthly subscription packages.



USE YOUR MOBILE TO CONTROL ACCESS

Mobile App for Identity Verification & Access Control

The MiENTRY service, managed through the MiCONNECT portal by Mircom's dealers or property administrators, empowers MiENTRY mobile app users to:

1. Verify guest identities with live video and audio
2. Grant access to the building securely
3. Generate a QR code to enable temporary visitor access*

Seamless Communication

- MiEntry enables both audio and video communication, facilitating smooth and effortless interaction between residents and visitors.

Easy Management with MiConnect

- The MiCONNECT portal facilitates easy creation, cancellation, and suspension of MiENTRY users, providing effortless management.


Flexible Subscription Plans

- Mircom offers flexible plans tailored to accommodate any type of project. Contact Mircom's sales representative for pricing details.

MiENTRY Mobile App

- **Access Control:** Verify guest identities and grant access to the building.
- **QR Code support:** Generates QR codes to enable temporary visitor access or quick dial by scanning the QR codes*
- **Available for iOS and Android:** Download from Google Play Store and App Store.
- **Device Compatibility:** Works with TX3-T10 and TX3 TOUCH (15", 22", and 15" Weather Resistant) units.
- **Data Efficient:** Designed to use minimal mobile data.
- **Subscription Required:** Requires a service subscription via MiCONNECT.
- **Call Logs:** Displays all missed and occurred calls.
- **User-Friendly Interface:** Intuitive and easy to navigate.
- **Comprehensive Communication:** Supports both audio and video communication

* QR code scanner is available with TX3-T10 panel only.



Subscribe to MiENTRY today and enhance your building's access control system.

MIRCOM CLOUD SERVICES

[TX3 Series]

NSL (NO SUBSCRIBER LINE)

All TX3 telephone voice entry panels support 'No Subscriber Line' (NSL) telephone system wiring. The NSL system uses the existing building's landline wiring to establish communication between the voice entry panels and home phones avoiding monthly charges.

NSL ELECTRONIC DIRECTORY



TX3 NSL-12K-C Slim line (Hooded) "Universal", Entry Panel NSL Starter Kit (for 12 residents/suites)

Kit includes:

- One TX3 2000-4UR-C Slim Line enclosure
- One TX3 NSL-8M Master NSL Relay Cabinet
- One 2012K Twelve unit kit c/w one 2012 Telephone Relay Card and one 9106 Relay Cable
- One RJ-71C Punch Down Block
- Kit can be expanded by adding additional 2012K and RJ-71C

200 names

NSL (NO PHONE BILL) SYSTEM OPTIONS



TX3 NSL-8M

Master NSL Relay Cabinet


- NSL systems require a Master NSL Unit, Telephone Line Relay Card(s) and Relay Cable(s)
- Master NSL Unit supports up to 8 Telephone Line Relay Cards
- Each Telephone Line Relay Card supports up to 12 residents
- One relay cable is required per Telephone Line Relay Card

EXPANSION



TX3-8EC

8 relay card expander cabinet



TX3-16EC

16 relay card expander cabinet

COMPONENTS



2012K

Telephone Relay Card and 9106 Relay Cable



RJ-71C

Punch Down Block



OPTIONAL ELEVATOR CONTROL

- Allows the visitor limited access into a building
- Provides time dependent relay contacts that are used for elevator control



TX3-ER-8-B
Elevator Control



3012E
12 unit elevator restriction relay card

[TX3 Series] VOICE ENTRY



TX3-EMER-1S-C

WHEN SECURITY IS NEEDED BEYOND THE DOOR

The TX3-EMER Series of Emergency Phone are wall or pole mounted. Made from a rugged steel construction, this emergency wall mount station features a hands-free emergency speakerphone and an output for an optional blue strobe. It also can include an optional analog camera that can record all initiated calls making it an excellent choice for parking decks, dorm entrances, hallways and public transit centers.

Universal Support

- Programmable correlations of inputs and outputs allows for integration with CCTV, strobes and other devices
- Illuminated LED display and button for the hearing impaired
- Braille labeled configurable "Call" and "Emergency" button for the visually impaired

Durable Design

- Stainless steel construction with weather hood for vandal resistant and outdoor application
- Flexible mounting options – surface, flush or pole
- Bold and clear visual design for immediate recognition

Flexible Communication

- Connect directly to Concierge, Security Desk or Guard Phone
- Analog or PBX or VoIP for wider networking compatibility

Network Integration

- TX3 Platform allows for standalone or network-wide connections and scalability
- Convenient Programming – locally using keypad or remotely

TYPICAL EMERGENCY PHONE SYSTEM



DOOR ACCESS CONTROLLERS



TX3-CX-1 Single Door Controller

- Simply mount onto a single gang box and connect CAT-5/6 cable for both power and network communication
- Power by either 12, 24-48 VDC or PoE. Network the controller by RS-485 or TCP/IP
- Built-in proximity reader for indoor usage and provision to connect an external reader for outdoor usage
- Connect up to 63 units using RS-485 or unlimited using TCP/IP
- Bluetooth® coming soon



TX3-CX-1NP Single Door Access Control Module

- Fits inside TX3 8 line display and TX3 Touch voice entry panels
- Wide input power range from 12 VDC, 24-48 VDC & POE
- Networks using RS-485 or TCP/IP



TX3-CX-2-A 2 Door Controller

- 2 door controller and power supply
- Network up to 63 units using RS-485 or unlimited using TCP/IP
- Supports multiple credential formats such as clamshell cards, graphic cards, key tags and wafers (ordered separately)
- Optional wireless receiver and transmitter for garage door operations



TX3-CX-4-A 4 Door Controller

- 4 door controller and power supply
- Network up to 63 units using RS-485 or unlimited using TCP/IP
- Supports multiple credential formats such as clamshell cards, graphic cards, key tags and wafers (ordered separately)
- Optional wireless receiver and transmitter for garage door operations



TX3-CX-2K-A

2 Door Control Kit


- (1) Two door controller
- (2) Proximity card readers
- (1) Power supply
- (1) Configuration software
- (1) USB PC connection cable



TX3-CX-4K-A

4 Door Control Kit

- (1) Four door controller
- (4) Proximity card readers
- (2) Power supply
- (1) Configuration software
- (1) USB PC connection cable



TX3-BBCX-4W

8 Door Control Cabinet

- Power supply included
- Order up to 4 x two door controller boards per cabinet

DOOR ACCESS CREDENTIALS

**[TX3
Series]**
ACCESS CONTROL

125 kHz



TX3-P300-HA
Multi Protocol
Proximity Reader



TX3-P640-H-A
Proximity Reader
with Keypad



TX3-PCR-35
Mobile Ready
Smartcard Reader



KT-MIR-0-0
Key Tag (FOB)



CS-MIR-0-0
Clam Shell
Proximity Card

13.56 MHz



TX3-CSR-35
Mobile Ready
Smartcard Reader



TX3-CSR-6.4
Mobile Ready Smartcard
Keypad and Reader



TX3-CSM-2P
Card
MIFARE® DESFire® EV2



TX3-CSK-2
Key Tag (FOB)
MIFARE® DESFire® EV2



TX3-DK1-3
MIFARE® Key Tag (FOB)



TX3-DM1-3
MIFARE® Proximity Card

2.4 GHz



TX3-CMC-2
Mobile Smartphone Credential

WIRELESS PARKING GATE CONTROL



TX3-WRR-22
Two Channel
Receiver



TX3-WRR-44
Four Channel
Receiver



TX3-WRT-2H
Two Button
Transmitter with HID
proximity supported



TX3-WRT-4H
Four Button
Transmitter with HID
proximity supported



PROXIMITY OPTIONS

DOOR ACCESS CREDENTIALS

Item number	Product name	Frequency	Bit Length	Type	Custom Credential
CS-MIR-XX	Clam Shell, 26 Bit, Custom ID Sequence, ID Required	125 kHz	26 Bit	Card	Yes
GR-MIR-H-26	Graphic Card, 26 Bit, HID Supported (Order in groups of 50 pcs.)	125 kHz	26 Bit	Card	Yes
GR-MIR-H-37	Proximity Graphic Cards (Order in groups of 50 pcs.)	125 kHz	37 Bit	Card	Yes
KT-MIR-XX	Key Tag, 26 Bit, Custom ID Sequence, ID Required	125 kHz	26 Bit	Key Tag	Yes
TX3-WRT-2H	Two Button Transmitter (Order in groups of 10 pcs.)	125 kHz & 433 MHz	26 Bit	Transmitter	
TX3-WRT-2H-XX	Custom Two Button Transmitter (Order in groups of 10 pcs.)	125 kHz & 433 MHz	26 Bit	Transmitter	Yes
TX3-WRT-4H	Four Button Transmitter (Order in groups of 10 pcs.)	125 kHz & 433 MHz	26 Bit	Transmitter	
TX3-PCR-620	Mobile Ready Proximity Keypad and Reader (Mullion mount)	125 kHz & 2.4 GHz		Reader	
TX3-PCR-640	Mobile Ready Proximity Keypad and Reader (Single Gang mount)	125 kHz & 2.4 GHz		Reader	
TX3-PCR-35	Mobile Ready Proximity Reader (mullion and single gang mount)	125 kHz & 2.4 GHz		Reader	
TX3-DK1-3	Key Tag, MIFARE®, 1K Byte (Order in groups of 10 Pcs.)	13.56 MHz	26 Bit	Key Tag	
TX3-DM1-3	Card, MIFARE®, 1K Byte (Order in groups of 25 pcs.)	13.56 MHz	26 Bit	Card	
TX3-CSR-35	Mobile Ready Smartcard Reader (mullion and single gang mount)	13.56 MHz & 2.4 GHz		Reader	
TX3-CSM-2P	Card, MIFARE® DESFIRE® EV2 (Order in groups of 25 pcs.)	13.56 MHz	26 Bit	Card	
TX3-CSK-2	Keytag, MIFARE® DESFIRE® EV2 (Order in groups of 10 pcs.)	13.56 MHz	26 Bit	Key Tag	
TX3-CSR-6.2	Mobile Ready Smartcard Keypad and Reader (Mullion Mount)	13.56 MHz & 2.4 GHz		Reader	
TX3-CSR-6.4	Mobile Ready Smartcard Keypad and Reader (Single Gang Mount)	13.56 MHz & 2.4 GHz		Reader	
TX3-WRT-2B	Two Button Transmitters w/o Prox. (Order in groups of 10 pcs.)	No Prox, 433 MHz	26 Bit	Transmitter	
TX3-WRT-2M	Mini 2-Button Transmitter, No Prox. (Order in groups of 10 pcs.)	No Prox, 433 MHz	26 Bit	Transmitter	
CS-MIR-0-0	Clam Shell Proximity Card (Order in groups of 25 PCS)	125 kHz	26 Bit or 37 Bit	Card	
KT-MIR-0-0	Key Tag (Order in groups of 10 PCS)	125 kHz	26 Bit or 37 Bit	Key Tag	
KT-MIR-0-37	Key Tag, Mircom Format (Order in groups of 10 pcs.)	125 kHz	26 Bit or 37 Bit	Key Tag	
WS-UHF-0-0	UHF Windshield Tag, Adhesive MT Use W UA-612, LR-2000/3000	125 kHz	26 Bit or 37 Bit	Disc Tag	
TX3-CMC-2	Mobile Smartphone Credential	2.4 GHz			
BLE-CRED	Single BLE Credential Works with the MiENTRY App., Not Transferable	Coming Soon			



Model	TX3-TOUCH-S15-D	TX3-TOUCH-F15-D	TX3-TOUCH-S22-D	TX3-TOUCH-F22-D	TX3-TOUCH-S15S-WR TX3-TOUCH-S15B-WR
Mounting	Surface	Flush	Surface	Flush	Surface
Name Capacity	2000*	2000*	2000*	2000*	2000*
Screen Size	15"	15"	22"	22"	15"
STANDARD FEATURES					
Provision for built-in card access controller	Yes	Yes	Yes	Yes	Yes
Programming	via touch screen, TCP/IP or modem	via touch screen, TCP/IP or modem	via touch screen, TCP/IP or modem	via touch screen TCP/IP or modem,	via touch screen, TCP/IP or modem

* Larger capacity is available in custom configuration.

Model	TX3-2000-8UR-C	TX3-2000-8CR-C	TX3-2000-4UR-C
Mounting	Surface	Flush	Surface
Name Capacity	2000	2000	2000
Screen Size	8 line, 20 character	8 line, 20 character	4 line, 20 character
Weather Resistant	Yes	No	Yes
STANDARD FEATURES			
Alphanumeric keypad	illuminated	illuminated	illuminated
Remote programming and setup	via modem or TCP/IP	via modem or TCP/IP	via modem or TCP/IP
Programming	via keypad or USB to a PC	via keypad or USB to a PC	via keypad or USB to a PC

Model	TX3-120U-C	TX3-120C-C
Mounting	Surface	Flush
Name Capacity	200	200
Screen Size	4 line, 20 character	4 line, 20 character
Weather Resistant	Yes	No
STANDARD FEATURES		
Alphanumeric keypad	illuminated	illuminated
Remote programming and setup	via modem or TCP/IP	via modem or TCP/IP
Programming	via keypad or USB to a PC	via keypad or USB to a PC

NOT TO BE USED FOR INSTALLATION PURPOSES.



Model shown: TX3-2000-8CR-C
Reinforced Standard (Flush) "Continental"



Founded in 1991, Mircom is a global designer, manufacturer and distributor of Intelligent Building Solutions. Reaching customers in over 100 countries worldwide, Mircom's portfolio includes: fire detection & alarm, communications & security, mass notification, building automation & smart technologies. Mircom's vision is to make buildings worldwide safer, smarter, and more livable.

Our global network of dedicated Sales and Service Offices, known as Mircom Engineered Systems, allows us to be a full solution provider. Through Mircom ES, we're able to provide and fully service our line-up of innovative and advanced solutions which are scalable to satisfy diverse user demands, from small & mid-size buildings to the world's most complex applications.

Corporate/Canada

T: 888.660.4655
F: 888.660.4113

USA

T: 888.660.4655
F: 888.660.4113

International

T: 905.660.4655
F: 905.660.4113



This document is provided by Mircom Technologies Ltd., MGC Systems Corp., or their affiliates, subsidiaries and brands, for convenience or marketing only and does not describe products or services technically. For technical information refer to technical manuals. We do not make representations or warranties regarding this information, including as to completeness or accuracy. We may change these contents at any time and reserve all rights in the contents, including copyrights, trademarks and other intellectual property. All other trademarks and registered trademarks are properties of their respective owners.

For more information visit
Mircom.com