

CASE STUDY

AT A GLANCE

Fort Hood, Texas U.S.A. III Corps Headquarters Building

Fort Hood covers an area of 160,000 acres and serves a population of 53,000 military personnel and family. This Case Study examines in detail the design considerations fundamental to providing time-sensitive intelligible notifications in response to an emergency.

Challenge

The objective is to provide a clear and concise method of communication to the facility occupants during an emergency situation.

Due to end-of-life cycle concerns; regarding the existing fire alarm/voice paging systems; Mircom™ provided an integrated solution in compliance with UFC 4-021-01 and NFPA 72, Chapter 24.

Solution

Fire Detection and Mass Notification installations must be carefully planned. Mircom™ worked as a strategic partner with the Fort Hood team to provide an enhanced FleX-Net™ Intelligent Fire/Mass Notification Solution.

This Solution delivered efficient building integration, stability and connectivity. To comply with stringent military facility requirements the FleX-Net™ solution provided Local Operating Consoles (LOC's) at strategic locations.

Benefits

The FleX-Net™ MNS Solution provides:

- Integrated, multi-modal solution;
- Robust stable network topology with redundant survivability;
- Real time multi-lingual/multiaudience messaging capability;
- Support for framing warning messages customized to Fort Hood;
- Reduction of costs and operational complexity by eliminating multiple custom software interfaces to warning sources and dissemination systems.

Fort Hood Military Base Mass Notification System



BACKGROUND

First established in 1942, Fort Hood has undergone many changes in its eighty plus year history. In fact, the rapid change needed to respond to new threats, and the employment of new technology to respond to more traditional threats, in new ways, may be *the* defining attributes of this military base.

Today, Fort Hood is the largest military installation in the U.S and is charged with the introduction, training and testing of new infantry equipment, tactics and methods. It is best known as the birthplace of the M1 Abrams Tank, M2/3 Bradley Fighting Vehicle, the Multiple Rocket Launch System (MRLS) and the AH-64 Apache Attack Helicopter.

Technologically advanced life safety and security protection at Fort Hood is a top priority. The integrity of the facility and the lives of thousands of service men and women depend on it – and that is why the US Department of Defense (DoD) mandated new Fire Alarm and Mass Notification protection for primary habiting and billeting in new and existing buildings on its military bases.

Mass Notification Systems (MNS)

MNS systems are installed to provide real-time emergency information (audible and visual) to all building occupants and, as applicable, to larger areas including nearby buildings or entire communities such as a campus, town or state. Integrated Fire Alarm and MNS systems recognize that a response to a fire alarm by building occupants could dramatically change because of additional environmental factors (i.e. severe weather, chemical or terrorist/military threat). The additional protection required for building occupants due to these factors can be efficiently implemented utilizing the highly reliable infrastructure that already exists in the fire alarm notification circuits installed within buildings.

THE CHALLENGE

The III Corps Building 101 at Fort Hood was selected by DoD for an immediate retrofit of a new integrated Fire Alarm and MNS system. The system had to be designed to provide individual building MNS for emergency communications to all building occupants and to personnel in the immediate vicinity of the building, including exterior egress and gathering areas. In addition, the in-building MNS was required to be interconnected with a central control unit of a Wide Area MNS, to provide status information, receive commands, activate pre-recorded messages, and to originate live-voice messages.

The new MNS system had to be designed to comply with UFC 4-021-01, the Unified Facilities Criteria Design and O&M: Mass Notification Systems. UFC 4-021-01 also references certain UL documents and standards that would need to be met, including UL 864, and UL 2017. If demanded, DoD also had the ability to specify the requirements of UL 2572 – the standard for Control and Communication Units for Mass Notification Systems.

One of the most significant challenges in designing the new Fire Alarm and MNS system was meeting the audibility and intelligibility requirements of UFC 4-021-01. III Corps Building 101 did not have a convenient location for the install of a single 'bulk' amplification system. This required the design of a 'distributed' amplifier network system, installed throughout the building.

Once the scope was defined, the procurement of a system meeting all of the requirements, as well as compliance with NFPA 72, Chapter 24 was daunting, including strict adherence to specifications and Buy America(n) Act considerations. In fact, only a select few manufacturers offered systems that were able to meet the project specification. Sourcing the best competitive value for the system prompted the project consultants to look beyond the high equipment cost, and the more expensive multi-year service contracts, offered by the dominant system manufacturers in the industry.



FleX-Net™ Mass Notification
Systems – Local Operating
Console (LOC) and Autonomous
Control Unit (ACU).





THE SOLUTION

When it came to selecting a system for the III Corps Building 101, DoD selected a system that would provide the best 'mission-critical' response to fire, intrusion, weather and chemical emergencies. They chose the FleX-Net™ Integrated Fire and Emergency Audio system from Mircom™.

FleX-Net[™] is a 'next generation' network system that offers a proven history of exceptional performance because it utilizes FX-2000 (fire alarm) and QX-5000 (emergency audio) system components – the same components protecting thousands of buildings in more than 50 countries around the world. FleX-Net[™] is also one of the only panels in the world certified to UL 2572.

Mircom[™] worked with the project Consulting Engineer and Facility Management Personnel to configure the FleX-Net[™] system to meet the exact requirements of the III Corps Building 101 design specifications.

SYSTEM

Master Fire Alarm and Mass Notification System (Node 1)

The master control panel was located within a secure and CCTV monitored location within the building. The panel contains all system operating controls (including paging and pre-recorded message select, fire alarm annunciation and control). In addition, the panel controls all building addressable circuits.

Distributed Network Nodes (Nodes 2 to 11)

The installation required distributed power supplies and amplifiers to provide power for audio speakers with red (fire) strobes and amber (MNS) strobes. Mircom™ INX-10 network power supplies and QX-5000 amplifiers were installed and the system was backed-up with batteries able to supply up to 72 hours of standby power.

Local Operating Consoles (LOC's) at each node

LOC panels are located throughout the building and are provided with a glass door and non-locking latch to allow access in case of emergency. Each LOC panel includes an MNS microphone and pre-recorded message selector switches. The selector switches support fire, intrusion, weather and chemical emergency notifications. Since the exact panel design required did not exist, Mircom™ customized the metal LOC cabinets specifically for this project.

Mass Notification third party interfacing

The FleX-Net[™] building MNS system was fully integrated to a third party Wide Area Mass Notification Communicator System via IP, utilizing an open communications protocol that is able to integrate MNS systems from multiple manufacturers into a common network. The Wide Area MNS system employs wired and wireless radio transmissions to allow live-voice and pre-recorded messages to be activated from a remote location.

INSTALLATION/COMMISSIONING

The radically different network design of the new MNS system required the complete removal of the existing (wired) system, detection and signaling devices, including the vast majority of the existing wiring and conduit. During construction, fire wardens (specially trained base security personnel) toured the premises 24/7.

The Mircom™ Applications Engineering team provided vital on-site support during the final installation and commissioning of the FleX-Net™ system. Particularly important to the delivery of the commissioned system was:

- Technical support regarding equipment and device terminations;
- On-site programming customization to enhance system performance during installation;
- Seamless integration to outside Wide Area MNS emergency voice broadcasting via the FleX-Net[™] solution;
- Modifications to system firmware for custom DoD requirements.

From project initiation to final training Mircom[™] was mindful of the on-going commissioning requirements as required by DoD.

As such, customized training in context with DoD's Emergency Response Plan was delivered to their satisfaction. In addition, as the solution was coming on-line Mircom™ provided on-going training to the Fort Hood team to ensure familiarity with the systems unique features and benefits. This included Facility Management and Maintenance, as well as Security and Fire Department personnel.

Summary


Around the globe Mircom™ Applications Engineering team is working to deliver elegant MNS solutions that protect life and property. The Fort Hood project is a testament to our on-going commitment to delivering solutions that enhance the safety and security of the dedicated military.

The FleX-Net[™] MNS solution delivered full compliance to UFC 4-021-01, UL 864, UL 2017, UL 2572 and NFPA 72, Chapter 24 codes and standards.

With a focus on value engineering principles and challenging budget constraints, Mircom™ provided exceptional performance well within DoD's budget.

Mircom[™] intends to further our knowledge to effectively and efficiently deliver MNS solutions globally.

Mircom's FleX-Net™MNS System Diagram



EQUIPMENT SUMMARY

(Node 1) Autonomous Control Unit (ACU) and Central Control Station (CCS)

241 fire detection points

351 input/output points

Integration to (third party) Wide Area Mass Notification Communicator System utilizing wireless radio transmission that allows live-voice and pre-recorded messages to be activated from a remote location

(Nodes 2-11) Distributed Network Nodes

Distributed Power supplies
Distributed Amplifiers
LOC at each node

Individual building Mass Notification of:

• Fire

Intrusion

Weather

Chemical





CORPORATE/CANADA

25 Interchange Way Vaughan, Ontario L4K 5W3 Tel: 888.660.4655

Fax: 888.660.4113

USA

4575 Witmer Industrial Estates Niagara Falls, N.Y. 14305 Tel: 888.660.4655

Fax: 888.660.4113

INTERNATIONAL

25 Interchange Way Vaughan, Ontario L4K 5W3 Tel: 905.660.4655

Fax: 905.660.4113



Corporate head office and manufacturing facility, Vaughan, Ontario, Canada

About the Mircom Group of Companies

The Mircom Group of Companies (MGC[™]) is North America's largest independent designer, manufacturer and distributor of advanced Fire Detection & Alarm, Voice Evacuation & Communication Systems, and Controlled Access & Security Solutions, serving the global marketplace for over 20 years.

MGC owns the Mircom[™], Secutron[™], and Summit[™] branded line of products. With corporate headquarters located in Toronto (Vaughan), Ontario, Canada and Niagara Falls, New York, U.S.A., MGC operates a dedicated network of sales and service branch offices throughout North America and abroad, under its Mircom Engineered Systems[™] brand (Mircom ES[™]).

MGC Systems International Limited supports the sales and installation of MGC systems in more than 50 countries worldwide, with regional offices located in Mexico City, Mexico; Buenos Aires, Argentina; Bangalore, India; Dubai, UAE; and Singapore. Under its United Export Corporation (U.E.C.*) division, MGC distributes a broad range of exceptional fire protection equipment



to more than 70 international markets.